CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222
GG         88    88   111     22    22
GG         88    88    11           222
GG  GGGG   888888      11         222
GG    GG   88    88    11       22
GG    GG   88    88    11      22
 GGGGGG    888888   11111111  22222222
```

```
EEEEEEEE
EE
EE
EEEEEE
EE
EE
EEEEEEEE
```

CROSSTABS

YPAR, YPAE, YPAM /

GENSGTR

PROCESSING SITE = CC

JOB ID =  SYSTEM SEQUENCE = JCBE

77/04/23.  19.00.59.

DATA DOCUMENTS/INC. 83-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 ( REVISED ) -- JANUARY 1, 1977

| | |
|---|---|
| RUN NAME | TRIAL RUN FOR THE PARLEMENT |
| FILE NAME | PARIS |
| VARIABLE LIST | CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON,<br>YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR,<br>DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN,<br>SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR,<br>OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG,<br>MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC,<br>FROCC,SOCC,OFFMAR,OGR-II,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS,<br>FILCFR,SFRFIL,CFRFIL,CGRER,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR,<br>YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR,<br>MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON,<br>GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE |
| INPUT MEDIUM | CARD |
| NO. OF CASES | 799 |
| INPUT FORMAT | FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0,<br>1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X,<br>F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,<br>F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,<br>F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X,<br>F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,<br>F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,<br>F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0) |

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

| VARIABLE | FORMAT | RECORD | COLUMNS |
|---|---|---|---|
| CON | F 1. 0 | 1 | 6- 6 |
| CONCL | F 1. 0 | 1 | 7- 7 |
| MR | F 1. 0 | 1 | 8- 8 |
| PAR | F 1. 0 | 1 | 9- 9 |
| PAE | F 1. 0 | 1 | 10- 10 |
| PAM | F 1. 0 | 1 | 11- 11 |
| DCON | F 1. 0 | 1 | 13- 13 |
| DCONCL | F 1. 0 | 1 | 14- 14 |
| DMR | F 1. 0 | 1 | 15- 15 |
| DPAR | F 1. 0 | 1 | 16- 16 |
| DPAE | F 1. 0 | 1 | 17- 17 |
| DPAM | F 1. 0 | 1 | 18- 18 |
| YCON | F 1. 0 | 1 | 20- 20 |
| YCONCL | F 1. 0 | 1 | 21- 21 |

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

| VARIABLE | FORMAT | RECORD | COLUMNS |
|---|---|---|---|
| YMR | F 1. 0 | 1 | 22- 22 |
| YPAR | F 1. 0 | 1 | 23- 23 |
| YPAE | F 1. 0 | 1 | 24- 24 |
| YPAM | F 1. 0 | 1 | 25- 25 |
| NOMAR | F 1. 0 | 1 | 27- 27 |
| UNOMAR | F 1. 0 | 1 | 28- 28 |
| DUOMAR | F 1. 0 | 1 | 29- 29 |
| GRMAR | F 1. 0 | 1 | 30- 30 |
| FRMAR | F 1. 0 | 1 | 31- 31 |
| UNSMAR | F 1. 0 | 1 | 32- 32 |
| DUSMAR | F 1. 0 | 1 | 33- 33 |
| GRPOS | F 1. 0 | 1 | 35- 35 |
| FRPOS | F 1. 0 | 1 | 36- 36 |
| SPOS | F 1. 0 | 1 | 37- 37 |
| GSPOS | F 1. 0 | 1 | 38- 38 |
| FROFF | F 1. 0 | 1 | 41- 41 |
| FRCL | F 1. 0 | 1 | 42- 42 |
| FRMIL | F 1. 0 | 1 | 43- 43 |
| FRDMAR | F 1. 0 | 1 | 44- 44 |
| FRDNUN | F 1. 0 | 1 | 45- 45 |
| SKIDS | F 1. 0 | 1 | 47- 47 |
| BROPAR | F 1. 0 | 1 | 48- 48 |
| CUZPAR | F 1. 0 | 1 | 49- 49 |
| UNCPAR | F 1. 0 | 1 | 50- 50 |
| SOFF | F 1. 0 | 1 | 51- 51 |
| SCL | F 1. 0 | 1 | 52- 52 |
| SMIL | F 1. 0 | 1 | 53- 53 |
| SDMAR | F 1. 0 | 1 | 54- 54 |
| SDNUN | F 1. 0 | 1 | 55- 55 |
| VOBPAR | F 1. 0 | 1 | 57- 57 |
| OFFIBP | F 1. 0 | 1 | 58- 58 |
| PROPAR | F 1. 0 | 1 | 59- 59 |
| AFTPAR | F 1. 0 | 1 | 60- 60 |
| CARCNG | F 1. 0 | 1 | 61- 61 |
| KIDIP | F 1. 0 | 1 | 62- 62 |
| OBMR | F 1. 0 | 1 | 64- 64 |
| POSBMR | F 1. 0 | 1 | 65- 65 |
| MRPRO | F 1. 0 | 1 | 66- 66 |
| MRAFT | F 1. 0 | 1 | 67- 67 |
| MRCCNG | F 1. 0 | 1 | 68- 68 |
| MRKMR | F 1. 0 | 1 | 69- 69 |
| MRINT | F 1. 0 | 1 | 70- 70 |
| MRPAR | F 1. 0 | 1 | 71- 71 |
| POSPAR | F 1. 0 | 1 | 73- 73 |
| GENSER | F 1. 0 | 1 | 74- 74 |
| FPROPR | F 1. 0 | 1 | 75- 75 |

DATA DOCUMENTS/INC.—SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

| VARIABLE | FORMAT | RECORD | COLUMNS |
|---|---|---|---|
| GRLOC | F 2. 0 | 2 | 6- 7 |
| FRLOC | F 2. 0 | 2 | 9- 10 |
| SLOC | F 2. 0 | 2 | 12- 13 |
| GROCC | F 2. 0 | 2 | 15- 16 |
| FROCC | F 2. 0 | 2 | 18- 19 |
| SOCC | F 2. 0 | 2 | 21- 22 |
| OFFMAR | F 2. 0 | 2 | 24- 25 |
| OGRFIL | F 2. 0 | 2 | 27- 28 |
| OFRFIL | F 2. 0 | 2 | 30- 31 |
| OSFIL | F 2. 0 | 2 | 33- 34 |
| OFILS | F 2. 0 | 2 | 36- 37 |
| SFILGR | F 1. 0 | 2 | 39- 39 |
| CFILGR | F 2. 0 | 2 | 41- 42 |
| FRFILS | F 1. 0 | 2 | 44- 44 |
| FILCFR | F 2. 0 | 2 | 46- 47 |
| SFRFIL | F 1. 0 | 2 | 49- 49 |
| CFRFIL | F 2. 0 | 2 | 51- 52 |
| CGRFR | F 2. 0 | 2 | 54- 55 |
| CSFR | F 2. 0 | 2 | 57- 58 |
| SGRC | F 2. 0 | 2 | 60- 61 |
| CGRSS | F 2. 0 | 2 | 63- 64 |
| RCSGRS | F 2. 0 | 2 | 66- 67 |
| YRCON | F 2. 0 | 2 | 69- 70 |
| CCYR | F 2. 0 | 2 | 72- 73 |
| YRMR | F 2. 0 | 2 | 75- 76 |
| YEPAR | F 2. 0 | 2 | 78- 79 |
| YRPAE | F 2. 0 | 3 | 6- 7 |
| YAPAM | F 2. 0 | 3 | 9- 10 |
| GRDEA | F 2. 0 | 3 | 12- 13 |
| FRDEA | F 2. 0 | 3 | 15- 16 |
| SONDEA | F 2. 0 | 3 | 18- 19 |
| SAGMAR | F 2. 0 | 3 | 21- 22 |
| WAGMAR | F 2. 0 | 3 | 24- 25 |
| ADMAR | F 2. 0 | 3 | 27- 28 |
| MSSAGE | F 2. 0 | 3 | 30- 31 |
| MWSAGE | F 2. 0 | 3 | 33- 34 |
| MADAGE | F 2. 0 | 3 | 36- 37 |
| BRMAR | F 2. 0 | 3 | 39- 40 |
| SISMAR | F 2. 0 | 3 | 42- 43 |
| ZIZMAR | F 2. 0 | 3 | 45- 46 |
| PRPROV | F 2. 0 | 3 | 48- 49 |
| CMADPR | F 2. 0 | 3 | 51- 52 |
| PROCON | F 2. 0 | 3 | 54- 55 |
| GCONAG | F 2. 0 | 3 | 57- 58 |
| MGRSAG | F 2. 0 | 3 | 60- 61 |
| SMAGE | F 2. 0 | 3 | 63- 64 |

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

| VARIABLE | FORMAT | RECORD | COLUMNS |
|---|---|---|---|
| FGRDAG | F 2. 0 | 3 | 66- 67 |
| SDAGE | F 2. 0 | 3 | 69- 70 |
| AGECON | F 2. 0 | 3 | 72- 73 |
| AGMR | F 2. 0 | 3 | 75- 76 |
| PRAGE | F 2. 0 | 3 | 78- 79 |

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=YPAR(0,9),YPAE(0,9),YPAM(0,9)/GENSER(0,5)/TABLES=YPAR,
               YPAE,YPAM BY GENSER
STATISTICS     ALL
READ INPUT DATA
```

042500 CM NEEDED FOR CROSSTABS

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
YPAR BY GENSER
* * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 783

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
YPAE BY GENSER
* * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * PAGE 1 OF 1

| YPAE | COUNT / ROW PCT / COL PCT / TOT PCT | GENSER 1 FIRST TO SERVE | 2 ONE GEN | 3 TWO GEN | 4 THREE GEN | ROW TOTAL |
|---|---|---|---|---|---|---|
| 2 | | 2 | 1 | 0 | 0 | 3 |
| | | 66.7 | 33.3 | 0 | 0 | 8.6 |
| | | 9.5 | 11.1 | 0 | 0 | |
| | | 5.7 | 2.9 | 0 | 0 | |
| 3 | | 2 | 2 | 1 | 0 | 5 |
| | | 40.0 | 40.0 | 20.0 | 0 | 14.3 |
| | | 9.5 | 22.2 | 25.0 | 0 | |
| | | 5.7 | 5.7 | 2.9 | 0 | |
| 4 | | 3 | 2 | 1 | 0 | 6 |
| | | 50.0 | 33.3 | 16.7 | 0 | 17.1 |
| | | 14.3 | 22.2 | 25.0 | 0 | |
| | | 8.6 | 5.7 | 2.9 | 0 | |
| 5 | | 4 | 0 | 1 | 1 | 6 |
| | | 66.7 | 0 | 16.7 | 16.7 | 17.1 |
| | | 19.0 | 0 | 25.0 | 100.0 | |
| | | 11.4 | 0 | 2.9 | 2.9 | |
| 6 | | 4 | 2 | 0 | 0 | 6 |
| | | 66.7 | 33.3 | 0 | 0 | 17.1 |
| | | 19.0 | 22.2 | 0 | 0 | |
| | | 11.4 | 5.7 | 0 | 0 | |
| 7 | | 1 | 0 | 0 | 0 | 1 |
| | | 100.0 | 0 | 0 | 0 | 2.9 |
| | | 4.8 | 0 | 0 | 0 | |
| | | 2.9 | 0 | 0 | 0 | |
| 8 | | 4 | 0 | 0 | 0 | 4 |
| | | 100.0 | 0 | 0 | 0 | 11.4 |
| | | 19.0 | 0 | 0 | 0 | |
| | | 11.4 | 0 | 0 | 0 | |
| 9 | | 1 | 2 | 1 | 0 | 4 |
| | | 25.0 | 50.0 | 25.0 | 0 | 11.4 |
| | | 4.8 | 22.2 | 25.0 | 0 | |
| | | 2.9 | 5.7 | 2.9 | 0 | |
| COLUMN TOTAL | | 21 | 9 | 4 | 1 | 35 |
| | | 60.0 | 25.7 | 11.4 | 2.9 | 100.0 |

1-4
5-8
9-12
13-16
17-20
21-24
25-28
29+

RAW CHI SQUARE = 14.86343 WITH 21 DEGREES OF FREEDOM. SIGNIFICANCE = .8297
CRAMER≠S V = .37624
CONTINGENCY COEFFICIENT = .54597

DATA DOCUMENTS/INC.-SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

LAMBDA (ASYMMETRIC) = .06897 WITH YPAE DEPENDENT. = .07143 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .06977
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .12539 WITH YPAE DEPENDENT. = .24860 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .16670
KENDALL≠S TAU B = -.06127. SIGNIFICANCE = .3341
KENDALL≠S TAU C = -.05660. SIGNIFICANCE = .3341
GAMMA = -.08667
SOMERS≠S D (ASYMMETRIC) = -.07580 WITH YPAE DEPENDENT. = -.04952 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.05991
ETA = .06907 WITH YPAE DEPENDENT.
ETA = .39963 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 764

DATA DOCUMENTS/INC.—SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
YPAM BY GENSER
* * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU C = .20513. SIGNIFICANCE = .1037
GAMMA = .27083
SOMERS≠S D (ASYMMETRIC) = .22511 WITH YPAM DEPENDENT. = .19259 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .20758
ETA = .49776 WITH YPAM DEPENDENT.
ETA = .65803 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 773

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FINISH

RUN COMPLETED

NUMBER OF CONTROL CARDS READ 47
NUMBER OF ERRORS DETECTED 0

DATA DOCUMENTS/INC.-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER